




FUSION LINE

Premium Railing Solutions
Systèmes pour Garde-Corps




Orbit¹

- Design elliptique innovant.
 - Grande robustesse, parfaite pour de larges ouvertures en verre.
 - Conçu pour des projets exigeants.
 - Hauteur max de 2 m & 1.5 m de large.
 - Solution esthétique pour créer des séparateurs, aussi bien à l'intérieur qu'à l'extérieur.
 - Combinaison possible avec des garde-corps « Fusion Line » avec ou sans main courante.
 - Conçu en tant que brise vent fixe dans l'horéca.
 - Disponible dans toutes les couleurs, laquées ou anodisées.
 - Parfait pour des applications dans des habitations modernes, commerces et horéca.
 - Épaisseur maximum du vitrage 66.2PVB=12.76 mm
- Innovative elliptical design.
 - High level of robustness, ideal for large glazing openings.
 - Certification that allows the product use for projects that demand high performance standards (>1.7 KN/m).
 - Maximum height 2 m & width 1.50 m for special hotel partition applications and max. height 1.20 m and width 1.30 m for typical railing applications.
 - Ideal solution for space partition in indoor and outdoor spaces.
 - Having the use of partition cooperates with all Fusion Line handrails for all railing typologies.
 - Suitable for fixed windscreen in commercial places.
 - Available in all range of electrostatic and anodising shades.
 - Suitable for modern homes, commercial buildings and hotels.
 - Maximum glass thickness 66.2PVB=12.76 mm



Des séparateurs en harmonie avec l'environnement.

L'Orbit 1 vous offrent la solution idéale pour garder l'équilibre entre l'esthétique et votre intimité.





Orbit 1

Hotel partitions in harmony with the environment.

Two types of Orbit 1 are the ideal solution to maintain the balance between the aesthetics and the need for privacy.



Orbit²

- Design rectangulaire innovant.
 - Grande robustesse, parfaite pour de larges ouvertures en verre.
 - Conçu pour des projets exigeants.
 - Hauteur max de 1.20 m & 1.30 m de large.
 - Solution esthétique pour créer des séparateurs, aussi bien à l'intérieur qu'à l'extérieur.
 - Combinaison possible avec des garde-corps «Fusion Line» avec ou sans main courante.
 - Conçu en tant que brise vent fixe dans l'horéca.
 - Disponible dans toutes les couleurs, laquées ou anodisées.
 - Parfait pour des applications dans des habitations modernes, commerces et horéca.
 - Épaisseur maximum du vitrage 66.4PVB=13.52 mm
- Innovative rectangular type design.
 - High level of robustness, ideal for large glazing openings.
 - Certification that allows the product use for projects that demand High Performance Standards (>1.7 KN/m).
 - Maximum height 1.20 m & width 1.30 m for typical railing applications.
 - Maximum durability and time resistance.
 - Suitable for partition use in indoor and outdoor spaces.
 - Suitable for windbreak stable use in commercial places.
 - Available in all range of electrostatic and anodising shades.
 - Maximum glass thickness 66.4PVB=13.52 mm





- Design modern qui accentue la simplicité.
- Grande robustesse, parfaite pour de larges ouvertures en verre.
- Largeur de poteau de seulement 28 mm.
- Ouverture maximale de 1300 mm.
- Un minimum d'élément pour un résultat grandiose.
- Pas de vis apparentes pour obtenir un résultat esthétiquement parfait.
- Panneau de verre maximal, partant du pied jusque dans la main courante.
- Main courante disponible, très épurée ou plutôt ergonomique.
- Plusieurs possibilités de combinaisons avec du vitrage.
- Disponible dans toutes les couleurs, laquées ou anodisées.
- Parfait pour des applications dans des habitations modernes, commerces et horéca.
- Épaisseur maximum du vitrage 55.4PVB=11.52 mm


30

Particularités
Features

Elxis

- Modern design that highlights the simplicity of design lines, ideal for minimal design spaces.
- High levels of robustness for large window openings.
- Column width for only 28 mm.
- Maximum width between the columns 1300 mm.
- Minimum components, offering economy and ergonomics.
- Having no visible screws for perfect aesthetic result.
- Glass application at the bottom rail having handrail at the top. Handrail choices in numerous shapes satisfying the most demanding needs.
- Possible application of glass folding system on the structure.
- Available in all electrostatic and anodising shades.
- Ideal solution for indoor and outdoor spaces, balcony areas, fences.
- Maximum glass thickness 55.4PVB=11.52 mm

De nombreuses options personnalisées offrent une satisfaction totale jusqu'au dernier détail.



32

Particularités
Details

Numerous personalized options offer complete satisfaction down to the last detail





Elxis



33

Particularités
Details



38

Particularités
Features

Synthesis

